

MATERIAL SAFETY DATA SHEET

EverGlow NA, Inc.
 1122 Industrial Dr.
 Matthews, NC 28105
 Tel: 704-841-2580 Fax: 704-841-2582

FOR EMERGENCY CALL:
EverGlow NA, Inc.
1-704-841-2580

SECTION A - PRODUCT INFORMATION

TRADE NAME: NEMOTO *LumiNova*[®]: G-300C, G-300M, G-300F, G-300FF, G-300L, G-300L250N, GLL-300M, GLL-300FF, GLL-300FFS
 HONEYWELL *Lumilux*[®]: SN-F25, SN-F2, SN-F2Y, SN-F5
COMMON NAME: STRONTIUM ALUMINATE (SrAl), STRONTIUM OXIDE ALUMINATE (SrOAl)
REVISION DATE: 12 AUGUST 2011
CAS NUMBER: NOT ASSIGNED
SYNONYMS: LONG AFTERGLOW PHOSPHORESCENT PIGMENT
 NON-RADIOACTIVE GLOW IN THE DARK PIGMENT
CHEMICAL FAMILY: ALUMINATES, ALKALINE EARTH ALUMINATES
FORMULA: SrAl or SrOAl, PROPRIETARY, BLENDED

SECTION B - HAZARDOUS COMPONENTS

COMPONENT	CAS NO.	%	PEL/TLV
NO HAZARDOUS COMPONENTS AS DEFINED BY 29 CFR 1910.1000-1200			
TREAT AS INERT OR NUISANCE DUST		99% MINIMUM	15 mg/m ³ OSHA, TOTAL
DUST OR PARTICULATES NOT OTHERWISE REGULATED			5 mg/m ³ OSHA RESPIRABLE FRACTION

SECTION C - PHYSICAL PROPERTIES

BOILING POINT (°C):	N/A	SPECIFIC GRAVITY:	3.65
MELTING POINT (°C):	>1000°	FREEZING POINT (°):	N/A
VAPOR PRESSURE (mm Hg):	N/A	PERCENT VOLATILE (BY WT.):	N/A
VAPOR DENSITY (AIR=1):	N/A	EVAPORATION RATE:	N/A
SOLUBILITY IN WATER:	0.3 g/l at 20°C	pH (10% IN WATER):	10 at 25°C
ODOR THRESHOLD:	N/A		
APPEARANCE & ODOR:	GREENISH WHITE POWDER, NO ODOR		

SECTION D - FIRE & EXPLOSION DATA

FLASH POINT (°): N/A
FLAMMABLE LIMITS: LEL: (N/A) UEL : (N/A) **AUTO IGNITION TEMP (° F) : (N/A)**
EXTINGUISHING MEDIA: WATER: (X) FOAM: (X) **CO₂: (X) DRY CHEMICAL : (X)**

SPECIAL FIRE FIGHTING PROCEDURES: NOT COMBUSTIBLE. DO NOT ALLOW RUNOFF TO SEWER SYSTEM OR BODIES OF WATER. FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING IN FIGHTING FIRES INVOLVING CHEMICALS.

UNUSUAL FIRE & EXPLOSION HAZARDS: NONE KNOWN

SECTION E - REACTIVITY DATA

STABILITY:	STABLE UNDER DRY CONDITIONS
INCOMPATIBILITY:	ACIDS
HAZARDOUS DECOMPOSITION PRODUCTS:	THERMALLY STABLE UP TO 1500°C
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR
CONDITIONS TO AVOID:	ACIDS

SECTION F – PERSONAL PROTECTIVE EQUIPMENT INFO

RESPIRATORY EQUIPMENT:	USE AN OSHA APPROVED RESPIRATOR WITH SUITABLE DUST FILTER FOR AIRBORNE DUST CONDITIONS
PROTECTIVE GLOVES:	PLASTIC OR RUBBER GLOVES
EYE PROTECTION:	GLASSES WITH SIDESHIELDS OR CHEMICAL GOGGLES
VENTILATION:	LOCAL EXHAUST VENTILATION RECOMMENDED TO MAINTAIN LEVELS BELOW THE NUISANCE DUST PERMISSIBLE EXPOSURE LIMIT (PEL) LISTED IN SECTION B.
OTHER PROTECTIVE EQUIPMENT:	LAB COAT

SECTION G – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE:	TREAT AS NUISANCE DUST (SEE SECTION B)
PRIMARY ROUTES OF EXPOSURE:	EYES, SKIN, INHALATION
ORAL LD₅₀:	GREATER THAN 2000 mg/kg (RAT)
DERMAL IRRITATION-RABBIT:	NON-IRRITATING
EYE IRRITATION-RABBIT:	NON-IRRITATING
EFFECTS OF OVEREXPOSURE:	AS AN INORGANIC POWDER, INHALATION OR CONTACT WITH DUST MAY CAUSE SLIGHT MECHANICAL IRRITATION TO RESPIRATORY TRACT, SKIN, OR EYES.
KNOWN EFFECTS ON OTHER ILLNESSES:	NONE KNOWN
LISTED CARCINOGEN:	NONE (X) OSHA () NTP () IARC () OTHER ()

SECTION H – EMERGENCY & FIRST AID DATA

SKIN:	WASH OFF WITH SOAP AND WATER. IF IRRITATION OCCURS AND PERSISTS, CONTACT PHYSICIAN.
EYES:	FLUSH WITH PLENTY OF WATER. IF IRRITATION OCCURS AND PERSISTS, CONTACT PHYSICIAN.
INHALATION:	REMOVE TO FRESH AIR, SEEK MEDICAL ATTENTION IF NECESSARY.
INGESTION:	SEEK IMMEDIATE MEDICAL ATTENTION.

PRODUCT: EVERGLOW TL300 PIGMENT

SECTION I – SPILL & DISPOSAL INFORMATION

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK: WEARING PROTECTIVE EQUIPMENT (SEE SECTION F), VACUUM OR SWEEP INTO A PROPERLY LABELED CONTAINER. AVOID GENERATING DUST. DO NOT DISCHARGE INTO SEWAGE SYSTEM OR OTHER BODIES OF WATER.

WASTE DISPOSAL INFORMATION: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

RCRA HAZARDOUS WASTE: NO (X) YES () RCRA # : ()
CERCLA: NO (X) YES () RQ ()

FOLLOW ALL LOCAL, STATE AND FEDERAL INFORMATION AND REGULATIONS.

SECTION J – OTHER REGULATORY INFORMATION

TSCA: WE CERTIFY THAT ALL COMPONENTS OF THIS PRODUCT ARE REGISTERED UNDER THE REGULATIONS OF THE TOXIC SUBSTANCES CONTROL ACT.

SARA TITLE III, SECT. 313: LISTED () NOT LISTED (X)
HMIS: HEALTH (0) FLAMMABILITY (0) REACTIVITY (0)
DOT REGULATED: YES: () NO: (X) RQ: (N/A)
IF REGULATED, PROPER SHIPPING NAME: N/A HAZARD CLASS: (N/A)

SECTION K – SPECIAL PRECAUTIONS

IDENTIFICATION NO: (N/A) **PACKING GROUP:** (N/A) **LABEL REQUIRED:** (N/A)
INLAND B/L: N/A
EMERGENCY RESPONSE GUIDE NO.: (N/A)
FOR INDUSTRIAL USE ONLY

HANDLING & STORAGE INFORMATION: STORE CLOSED IN COOL DRY AREA. WHEN HANDLING OR POURING, WEAR PROTECTIVE CLOTHING. AVOID SCATTERING INTO THE AIR. DO NOT ALLOW RUNOFF INTO SEWERS OR ANY BODY OF WATER.

OTHER PRECAUTIONS: MAINTAIN A SCHEDULE OF REGULAR HOUSEKEEPING TO ENSURE CLEANLINESS OF WORK AREA.

IN ACCORDANCE WITH GOOD PRACTICES OF PERSONAL HYGIENE, HANDLE WITH DUE CARE AND AVOID ANY UNNECESSARY CONTACT WITH THIS PRODUCT.

THIS INFORMATION IS BEING SUPPLIED TO YOU UNDER OSHA "RIGHT TO KNOW" REGULATION 29 CFR 1910.1200 AND IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS PRODUCT SPECIFICATION. THE INFORMATION IS BELIEVED TO BE TRUE AND ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS DATA, THE HAZARD CONNECTED WITH USE OF THE MATERIAL, OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, IS MADE. EVERGLOW NA, INC. AND ITS SUPPLIERS ASSUME NO RESPONSIBILITY FOR DAMAGE OR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

**THIS PAGE LEFT BLANK
INTENTIONALLY**