



Catalog


Photoluminescent Products



Photoluminescent
Signs




Safety Way
Guidance Systems



Stairs and
Door Markings



Floor Markings



Coatings



Technical Descriptions / Applications

Offering full-service support to our customers - instead of being just a supplier of a small article within the complex structure of your building - this is our commitment today.

This is based on continuous research and further development of our products. Accordingly, customized applications can be developed and tested.

EverGlow HI 150 is only one example of increased safety.

The Basis Materials for all Everglow Products

Film, self-adhesive

High-quality self-adhesive film, 0.1 mm thick, photoluminescent coated

Luminance HI 150
Material code 38.

Aluminum

Depending on the product 0.2 mm; 0.56 or 1.5 mm thick, photoluminescent coated, partly self-adhesive with 3M DKB 9505

Luminance HI 150
Material code 15.
Luminance HI 300
Material code 17.

A-Film

Tamper resistant, photoluminescent coated, protected against vandalism, self-adhesive, equipped according to your choice.

Luminance HI 150
Material Code 59.

Special Applications

On request, special products made of:

- Stainless steel
- Glass
- Ceramics
- E Quality for outdoor use


Luminance HI 150 to HI 1000

EverGlow® TL (Triple Loading)


Photoluminescent products with turbo loading effect. Ideal for applications in areas with poor light conditions or short loading time. You recognize EverGlow TL products by the additional specification TL. preceding the article number, e.g. TL17.7540 (see also page 34)

EverGlow® C (Color)

The combination of daylight fluorescence and photoluminescence is a perfect synthesis for safety markings of utmost quality. You recognize EverGlow C products by the additional specification C. preceding the article number, e.g. C15.7501 (see also page 19)



Luminance:	after 10 minutes	after 60 minutes	Decay Time
HI 150	150 mcd/m ²	22 mcd/m ²	2100 minutes
HI 300	300 mcd/m ²	45 mcd/m ²	4100 minutes
HI 450	450 mcd/m ²	70 mcd/m ²	4500 minutes
HI 600	600 mcd/m ²	100 mcd/m ²	8100 minutes
HI 1000	1010 mcd/m ²	185 mcd/m ²	6 days



Products	Page
Photoluminescent Way-Guidance Marking (made of aluminum)	5
Photoluminescent Way-Guidance Marking (Rolls, photoluminescent coated)	6
Photoluminescent Marking Products, Warning Rolls	7
Photoluminescent Marking Products, Warning Rolls, Warning Stripes	8
Low-Location Lighting Systems	10-13
Photoluminescent Stairs and Doors Marking	14-15
Photoluminescent Floor Marking	16-17
Photoluminescent Marking Products	18
Photoluminescent Marking Products C Quality	19
Photoluminescent Coating System	20-21
Photoluminescent Escape Signs	23-26
Photoluminescent Angled and Flag Signs	27
Photoluminescent Individual Angled and Flag Signs	28
Photoluminescent Fire Safety Signs	29-30
US Signs	31-33
Photoluminescent Escape Signs, Triple Loading	34

Purchase Order

Order Form	35
------------	----


EverGlow®, EverGlow HI®, EverGlow TL®, EverGlow E® and ProClip® are trademarks registered in many countries.

Reprint, reproduction and adoption of contents of the catalogue in eCommerce platforms - also in excerpts - are not permitted

We expressly reserve the right to modification of the contents and products throughout the term of this catalogue.

© Cover picture / Tunnel: Josef Husák Metrostav





What is a Safety Guidance System?

A safety guidance system aims at guiding persons out of the building as fast and safely as possible.



A photoluminescent safety guidance system enhances the escape speed and orientation. It thereby ensures safe and fast escape from the dangerous area (e.g. in case of smoke development).

This objective of protection can be realized in a profitable way by means of the photoluminescent safety guidance system. It includes photoluminescent guidance strips, signs and markings. The luminous pigments are excited by daylight or the general lighting and release the stored energy in the darkness as greenish yellow light.

In case of a photoluminescent safety guidance system near the floor, the shortest escape route out of the building is marked clearly and continuously (instructions in this respect can be found in BGR 216). These guidance strips are complemented by signs according to BGV A8 which are fastened at face level. Obstacles in the escape route such as protruding edges or steps are to be marked,

too. This, all possible obstacles in the escape route are clearly visible and do no longer present a danger. In case of power failure, the information required at this moment is given by the guidance strips. As this marking is mainly fastened near the floor, it is also still visible in case of smoke development.


By dividing the flow of persons evenly, the main escape routes are relieved, as fleeing people almost always want to take the same way out of the building as in. The fleeing person has the comforting feeling of being guided out the building as quickly as possible and is thereby relieved psychically.



Way-Guidance Marking

for a guidance system near the floor in various designs for individual use

- Wall fastening up to 40.0 cm above the floor
- Also available in C quality




Way-guidance markings

(Photoluminescent coated, to be screwed, made of aluminum 0.56 mm)
On request also available in self-adhesive design

Size

W x H in cm	Material	Order No	Price group
5.0 x 100.0	HI 150	15.4970	E 730
7.5 x 100.0	HI 150	15.4971	E 731
10.0 x 100.0	HI 150	15.4972	E 732



Guidance strip

(Photoluminescent coated, self-adhesive, made of aluminum 0,2 mm)
EverGlow C Quality

Size

W x H in cm	Material	Art.-Nr.	Price group
5.0 x 100.0	C 150	C15.4976	E 736
7.5 x 100.0	C 150	C15.4977	E 737
10.0 x 100.0	C 150	C15.4978	E 738

Guidance strip

(Photoluminescent coated, self-adhesive, made of aluminum 0,2 mm)

Size

W x H in cm	Material	Order No	Price group
5.0 x 100.0	HI 150	15.4976	E 733
7.5 x 100.0	HI 150	15.4977	E 734
10.0 x 100.0	HI 150	15.4978	E 735

Escape signs

(green/transparent, self-adhesive, non-photoluminescent)



	W x H in cm	Material	Order No	Price group
Escape route right	5.0 x 10.0	Film	90.4973R	E 739
	7.5 x 15.0	Film	90.4974R	E 740
	10.0 x 20.0	Film	90.4975R	E 741
Escape route left	5.0 x 10.0	Film	90.4973L	E 739
	7.5 x 15.0	Film	90.4974L	E 740
	10.0 x 20.0	Film	90.4975L	E 741





Thermal Stability of the A-FILM (Tamper Resistant):

- 40° to 150° C
no visible changes
- temporarily 180° C
no visible changes

For further information, please obtain our technical data sheet. EverGlow C film products are also available in A-Film quality (Tamper Resistant)

This is What You Have Been Waiting For!

Generally, marking with photoluminescent rolls within safety guidance systems is the quickest and the most cost-effective way. However, it does not last long, insofar as the products are softened PVC films. Shrinking, migration of softener and embrittlement inevitably cause a loss of adhesion and /or unattractive detachments.

Tamper Resistant is the ideal product for high-quality, long-lasting and environmentally sound marking which cannot be removed without being damaged.


Tamper Resistant is a composite system consisting of film with integrated laminate. The system allows individual application of adhesive of different thicknesses and characteristics.

Further features: Surface sealing, high resistance to external chemical influences, cannot be removed without being damaged, high flexibility and elasticity, high thermal stability, environmentally friendly raw materials, long durability.



Rolls, photoluminescent coated, self-adhesive with ATP adhesive

Size	Material	Order No	Price group
W x H in cm/m			
2.54 cm x 25 m	A-Film HI 150	59.US7401	E 742
5.0 cm x 25 m	A-Film HI 150	59.US7403	E 743
10.0 cm x 25 m	A-Film HI 150	38.4986	E 744



Warning rolls photoluminescent/black, self-adhesive

		Size W x H in cm	Material	Order No.	Price group
Type ES 112	right	1200.0 x 3.0	Film HI 150	38.7406	E 306
	left		Film HI 150	38.7407	E 306
Type ES 122	right	2500.0 x 3.0	Film HI 150	38.7408	E 307
	left		Film HI 150	38.7409	E 307
Type ES 113	right	1200.0 x 6.0	Film HI 150	38.7412	E 308
	left		Film HI 150	38.7413	E 308
Type ES 123	right	2500.0 x 6.0	Film HI 150	38.7414	E 309
	left		Film HI 150	38.7415	E 309



Warning rolls photoluminescent/red, self-adhesive

		Size W x H in cm	Material	Order No.	Price group
Type ER 112	right	1200.0 x 3.0	Film HI 150	38.7426	E 306
	left		Film HI 150	38.7427	E 306
Type ER 122	right	2500.0 x 3.0	Film HI 150	38.7428	E 307
	left		Film HI 150	38.7429	E 307
Type ER 113	right	1200.0 x 6.0	Film HI 150	38.7432	E 308
	left		Film HI 150	38.7433	E 308
Type ER 123	right	2500.0 x 6.0	Film HI 150	38.7434	E 309
	left		Film HI 150	38.7435	E 309



Warning rolls / directional arrow photoluminescent/green, self-adhesive


		Size W x H in cm	Material	Order No.	Price group
		1200.0 x 3.0	Film HI 150	38.7440	E 310
		2500.0 x 3.0	Film HI 150	38.7441	E 311
		1200.0 x 6.0	Film HI 150	38.7442	E 312
		2500.0 x 6.0	Film HI 150	38.7443	E 313



Marking roll / escape route symbol green/photoluminescent, self-adhesive


		Size W x H in cm	Material	Order No.	Price group
Escape route right		2000.0 x 4.0	Film HI 150	38.7458	E 704
Escape route left		2000.0 x 4.0	Film HI 150	38.7459	E 704





Warning rolls
self-adhesive
photoluminescent and
day light fluorescent
all-over or shaded

Size W x H in cm	Material	Order No.	Price group
500.0 x 5.0	Film C 150	C38.4987	E 745
	Film C 150, left shaded	C38.4989L	E 746
	Film C 150, right shaded	C38.4989R	E 746
2500.0 x 5.0	Film C 150	C38.4988	E 747
	Film C 150, left shaded	C38.4990L	E 748
	Film C 150, right shaded	C38.4990R	E 748



Warning stripe
photoluminescent/black, self-adhesive

Type ES 211 right
left

Type ES 212 right
left

Type ES 213 right
left

Size W x H in cm	Material	Order No.	Price group
100.0 x 1.5	Alu HI 150	15.7372	E 705
	Alu HI 150	15.7373	E 705
100.0 x 3.0	Alu HI 150	15.7374	E 706
	Alu HI 150	15.7375	E 706
100.0 x 6.0	Alu HI 150	15.7376	E 707
	Alu HI 150	15.7377	E 707




Warning stripe
photoluminescent/red, self-adhesive

Type ES 211 right
left

Type ES 212 right
left


Type ES 213 right
left

Size W x H in cm	Material	Order No.	Price group
100.0 x 1.5	Alu HI 150	15.7381	E 705
	Alu HI 150	15.7382	E 705
100.0 x 3.0	Alu HI 150	15.7383	E 706
	Alu HI 150	15.7384	E 706
100.0 x 6.0	Alu HI 150	15.7385	E 707
	Alu HI 150	15.7386	E 707



Warning stripe / directional arrow
photoluminescent/green, self-adhesive

Size W x H in cm	Material	Order No.	Price group
100.0 x 3.0	Alu HI 150	15.7391	E 708
100.0 x 6.0	Alu HI 150	15.7392	E 709



Marking stripes
self-adhesive
photoluminescent and
day light fluorescent
black shaded

Size W x H in cm	Material	Order No.	Price group
3.8 x 100.0	Alu 0.2 mm C 150	C15.4993	E 749
5.0 x 100.0	Alu 0.2 mm C 150	C15.4994	E 750
7.5 x 100.0	Alu 0.2 mm C 150	C15.4995	E 751
10.0 x 100.0	Alu 0.2 mm C 150	C15.4996	E 752

Do You Know Where The Next Escape Route Is?



Imagine your new office premises would not have any escape route marking or fire equipment signs. A continuous escape route marking placed near the floor avoids panic and guides people out of the building.

In an extensive survey of TU Ilmenau, the safety perception of people in dangerous situations was examined, while electric and photoluminescent safety guidance systems were compared. With a clear result:

The complex and detailed documented survey clearly shows that photoluminescent guidance systems placed near the floor have a considerable advantage over safety lighting in a dangerous situation such as smoke development. People feel safer, the orientation is definitely better and the risk of panic is reduced considerably.



Finally, photoluminescent safety guidance systems provide for shorter escape times; threat to life and limb is minimized.





ProClip®:

The clean, demanding solution of a photoluminescent wall marking of qualities according to DIN 67510 and ISO 16096.



Simple mounting:

Base profile is attached to the wall with screws. The upper piece is clipped on. The photoluminescent strip is adhered in hollow of the upper piece.

Components:		Order No.	Price group
ProClip-Base 1:	Aluminum, height: 51 mm, length: 3000 mm	90.7481	G 211 / m*
ProClip-Upper piece:	Aluminum, height: 60 mm, length: 3000 mm	90.7483	G 210 / m*
Guidance stripe flex 1:	EVERGLOW HI 150 Alu, 0.2 mm thick, photoluminescent coated, with glass bead surface finish, self-adhesive, height: 45 mm, length: 1000 mm	15.7542	G 213
or			
Guidance stripe flex 1:	EVERGLOW HI 300 Alu	17.7542	G 214
or			
Guidance stripe flex 1:	EVERGLOW HI 450 Alu		on request

A key advantage!

The soft foam rubber sealing lip prevents damage to the mounting wall.



1 Inner edge connection	Plastic, light	90.7740	G 421
2 Outer edge connection	Plastic, light	90.7741	G 241
3 Cover plate left	Plastic, light	90.7738	G 240
4 Cover plate right	Plastic, light	90.7739	G 240

* Minimum quantity: 12 m




Way-guidance marking

For adhesion to ProClip upper part, aluminum, 0.2 mm thick, photoluminescent/green coated, with glass bead surface finish, self-adhesive.

1 set = 10 pieces

	Size W x H in cm	Material	Order No.	Price group
Escape route right	4.5 x 4.5	Alu HI 150	15.7514	G 220
		Alu HI 300	17.7514	G 221
Escape route left	4.5 x 4.5	Alu HI 150	15.7516	G 220
		Alu HI 300	17.7516	G 221
Arrow sign photoluminescent	7.0 x 4.5	Alu HI 150	15.7488	G 220
		Alu HI 300	17.7488	G 221
Arrow sign green	7.0 x 4.5	Alu HI 150	15.7486	G 220



ProFil 50:

The new profile system for low-location safety guidance systems according to national and international regulations convinces by its design and functionality.



Your Benefit:

According to a revised national regulation, the strip width can be reduced significantly. This reduced profile width of 50 mm allows for convenient integration in the design of your building.


A well-planned angle of the profile ensures optimized charge through ambient light.

(For strip widths of 5.0 cm luminance of at least 80 mcd/m² is required at the place of use.)

Easy installation:

The concealed fixing of screws, rivets and partial bonding allows optimized installation times.

The well-designed cover plates provide a neat edge.



* Minimum quantity: 12 m

Components:		Order No.	Price group
Basic profile:	Aluminum anodized, silver, height: 54.0 mm, length: 3000.0 mm (other lengths available at extra cost)	90.7732	G 236 / m*
Guidance stripe flex 1:	EVERGLOW HI 300 Alu, 0.2 mm thick, photoluminescent coated, with glass bead surface finish, self-adhesive. height: 45 mm, length: 1000 mm	17.7696	G 234
or			
Guidance stripe flex 1:	EVERGLOW TL 300 Alu	TL17.7696	G 235
or			
Guidance stripe flex 1:	EVERGLOW HI 450 Alu		on request
Cover plate:	Plastic light, right	90.7733	G 237
	Plastic light, left	90.7734	G 237



Way-guidance marking
For adhesion to profile upper part, aluminum, 0.2 mm thick, photoluminescent/green coated, with glass bead surface finish, Alu Hi 300, self-adhesive.

1 set = 10 pieces

Escape route right
Escape route left
Arrows sign photoluminescent

Size W x H in cm	Material	Order No.	Price group
5.0 x 5.0	Alu HI 300	17.7697	G 238
	Alu TL 300	TL17.7697	G 239
5.0 x 5.0	Alu HI 300	17.7698	G 238
	Alu TL 300	TL17.7698	G 239
5.0 x 5.0	Alu HI 300	17.7699	G 238
	Alu TL 300	TL17.7699	G 239






Low-Location Lighting Systems



Color cover plates optionally available

Stair-wall Profile




Total height: 41.5 mm

Components:

		Order No.	Price group
Basic profile	Aluminum, height: 41.3 mm, length: 3000 mm color: aluminum-anodized*, honey-bronze*, mid-bronze* (* Please indicate the color in your order.)	90.7748	G 244 / m***
Guidance strip flex 1	EVERGLOW HI 300 Alu, 0.2 mm thick, photoluminescent coating, with glass bead surface finish, self-adhesive, height: 37 mm, length: 1000 mm.	17.7730	G 232
<u>or</u>			
Guidance strip flex 1	EVERGLOW TL 300 Alu	TL17.7730	G 233
	EVERGLOW HI 450 Alu		on request
Cover plate	Plastic, light**, right	90.7749	G 245
Cover plate	Plastic, light**, left	90.7750	G 245

(** Other colors available on request. / *** Minimum quantity 12 m)

Guidance System



Total height: 41.5 mm



Components:

		Order No.	Price group
Basic profile	Aluminum, height: 41.5 mm, length: 3000 mm colors: anodized-aluminum*, honey-bronze*, mid-bronze* (* Please indicate the color in your order)	90.7754	G 248 / m***
Guidance strip flex 1	EVERGLOW HI 300 Alu, 0.2 mm thick, photoluminescent coating, with glass bead surface finish, self-adhesive, height: 37 mm, length: 1000 mm.	17.7730	G 232
<u>or</u>			
Guidance strip flex 1	EVERGLOW TL 300 Alu	TL17.7730	G 233
	EVERGLOW HI 450 Alu		on request
	EVERGLOW HI 300 Alu, with print "EXIT", right	17.7755	G 232
	EVERGLOW HI 300 Alu, with print "EXIT", left	17.7756	G 232
Cover plate	Plastic, light**	90.7757	G 245

(** Other colors available on request. / *** Minimum quantity 12 m)




Way-guidance marking

For adhesion to profile upper part, aluminum, 0.2mm thick, photoluminescent/green coated, with glass bead surface finish, Alu Hi 300, self-adhesive.

1 set = 10 pieces

	Size W x H in cm	Material	Order No.	Price group
Escape route right	3.7 x 3.7	Alu TL 300	TL17.7751	G 247
Escape route left	3.7 x 3.7	Alu TL 300	TL17.7752	G 247
Arrows sign photoluminescent	3.7 x 3.7	Alu TL 300	TL17.7753	G 247



High demands are made on low-location lighting systems (LLL systems) on ships with regard to design and functionality. The lighting conditions on the ship require a photoluminescent product which

excels in its luminance and charge speed and at the same time complies with the requirements of the IMO. Constant research and development in photoluminescence technology combined with


our proven know-how enable us to offer highly effective system solutions. We provide attractive designs in the field of low-location lighting system (LLL systems) based on photoluminescence.

Aisle Profile ProShip



Components:

		Order No.	Price group
Basic profile	Aluminum, height: 115 mm, length: 3000 mm colors: anodized-aluminum*, honey-bronze*, mid-bronze*	90.7742	G 242 / m**
Guidance strip flex 1	EVERGLOW HI 300 Alu, 0.2 mm thick, photoluminescent coating, with glass bead surface finish, self-adhesive, height: 37 mm, length: 1000 mm.	17.7730	G 232
or			
Guidance strip flex 1	EVERGLOW TL 300 Alu	TL17.7730	G 233
or			
Guidance strip flex 1	EVERGLOW HI 450 Alu		on request
Cover plate	Plastic*, right	90.7745	G 243
Cover plate	Plastic*, left	90.7746	G 243
Inner edge connection	Plastic*	90.7743	E 260
Outer edge connection	Plastic*	90.7744	E 260




(* Please indicate the color in your order/color samples available on request.) ** Minimum quantity 12 m)





ISO 16069

Wall-mounted handrails shall be highlighted with phosphorescent material. Each tread edge shall be marked with stair nosing of not less than 20 mm strips.



Marking roll for handrail
photoluminescent-coated film,
ca. 2.4 cm width, self-adhesive,
photoluminescent area 12.0 x 1.4 cm,
border 1.0 cm

	Size W x H in cm	Material	Order No.	Price group
Roll with 10 m	1000.0 x 2.4	Film HI 150	38.7446	E 201
Roll with 100 m	10000.0 x 2.4	Film HI 150	38.7447	E 202



Step edge profile
Aluminum, 1.5 mm thick,
white*/photoluminescent coated.
3 cm wide photoluminescent surface each side,
glass bead varnish provides anti-slip effect.
The profile is excellently suited for marking steps
in industrial settings and can be mounted by adhesive or
screws/rivets.
Profile length: 100.0 cm

Size W x H x D in cm	Material	Order No.	Price group
100.0 x 5.0 x 7.0	Alu HI 300	17.7657	G 516

* Other colors available for quantities of 300 pcs or more



Stair marker
photoluminescent, angled at 90°.
Profile length 20.0 cm

	Size W x H x D in cm	Material	Order No.	Price group
with foam adhesive backing	5.0 x 3.8 x 20.0	Alu HI 300	17.7490	G 719
without foam adhesive backing	5.0 x 3.8 x 20.0	Alu HI 300	17.7491	G 719



**Stair Marker
with directional
arrow, angled at 90°,
self-adhesive**


Size: W x H in cm	Material	Order No.	Price group
4.0 x 3.0 x 18.0	Alu HI 150	17.US7490D	US 033
Arrow downstairs	Alu HI 150	17.US7490U	US 033
Arrow upstairs	Alu HI 150	17.US7490U	US 033
Regular (no arrow)	Alu HI 150	17.US7490	US 033



ISO 16069

Any door handles or opening devices on emergency exit doors shall be highlighted with phosphorescent material.

The door handle side of the frame shall have a continuous marking from the floor up to the height of the door handle.



Door handles background
green/photoluminescent,
self-adhesive

	Size W x H in cm	Material	Order No.	Price group
for door handle (right turn) A	10.0 x 25.5	Alu HI 150	17.7535	E 717
		Alu TL 300	TL17.7535	E 725
for door handle (left turn) B	10.0 x 25.5	Alu HI 150	17.7540	E 717
		Alu TL 300	TL17.7540	E 725




The door handle or the door handle background is to be in photoluminescent design.

Door handle marker

Increase the speed of egress by marking the door handle with symbol, location and direction of moving

Version	Material	Order No.	Price group
Arrow left	Alu TL 150	15.US7540TL	US 032
Arrow right	Alu TL 150	15.US7535TL	US 032



ISO 16069

The final emergency exit door and emergency exit doors provided within the escape route shall have frames marked with strips of phosphorescent material of not less than 25 mm in width. Where observation distances are greater than 20 m the whole door frame should be outlined with phosphorescent material.


Door marking roll
photoluminescent/white, self-adhesive

Size W x H in cm	Material	Order No.	Price group
1200.0 x 3.0	Film HI 150	38.7450	E 314
2500.0 x 3.0	Film HI 150	38.7451	E 315
1200.0 x 6.0	Film HI 150	38.7452	E 316
2500.0 x 6.0	Film HI 150	38.7453	E 317



Door marking stripes
photoluminescent/white, self-adhesive


Size W x H in cm	Material	Order No.	Price group
100.0 x 3.0	Alu HI 150	15.7396	E 710
100.0 x 6.0	Alu HI 150	15.7397	E 711





Floor Marking


In case of photoluminescent system, floor marking systems comprising at least three markers per meter can be “continuous” markings.



Floor-marking arrows / Discs with directional arrow
green/photoluminescent,
self-adhesive with anti-slip effect

high long-term adhesion due to 3M-special adhesive
1 set = 10 pieces

Size Ø in cm	Material	Order No.	Price group
Ø 9.5	Alu HI 300	17.7470	G 304
Ø 12.5	Alu HI 300	17.7471	G 702
Ø 5.0	Alu HI 300	17.7400	G 230
Ø 9.5	Alu HI 300	17.7401	G 231




Floor-marking arrows / Rectangle with directional arrow
green/photoluminescent,
self-adhesive, high long-term
adhesion due to 3M-special
adhesive; 1 set = 10 pieces
as above, with anti-slip effect
1 set = 10 pieces

Size W x H in cm	Material	Order No.	Price group
17.5 x 11.0	Alu HI 150	15.7476	G 701
17.5 x 11.0	Alu HI 300	17.7473	G 709



Footprint
photoluminescent,
self-adhesive,
with anti-slip effect

	Size W x H in cm	Material	Order No.	Price group
right foot print	21.0 x 8.5	Alu HI 300	17.7654	G 510
left foot print	21.0 x 8.5	Alu HI 300	17.7655	G 510



SafetyWalk non-slip stripes
self-adhesive, ideal for marking steps
and floors

	Size W x H in cm	Material	Order No.	Price group
photoluminescent	80.0 x 3.0	Alu HI 150	15.7501	E 712
	80.0 x 5.0	Alu HI 150	15.7504	E 713
photoluminescent/black	80.0 x 3.0	Alu HI 150	15.7507	E 714
	80.0 x 5.0	Alu HI 150	15.7510	E 715




SafetyWalk Non-Slip stripe
self-adhesive, C quality
photoluminescent and
day light fluorescent
all over and black shaded
Anti-slip surface R13

	Size W x H in cm	Material	Order No.	Price group
all over	80.0 x 3.0	Alu C 150	C15.7501	E 753
	80.0 x 5.0	Alu C 150	C15.7504	E 754
black shaded	80.0 x 3.0	Alu C 150	C15.7507	E 755
	80.0 x 5.0	Alu C 150	C15.7510	E 756



Rigid way-guidance strips with slots star 1
Aluminum 1.5 mm thick, photoluminescent coated, with glass bead varnish.
In addition equipped with 2 slots and a hole for quick and easy mounting (e.g. to a grill).

Size W x H in cm	Material	Order No.	Price group
22.0 x 5.0	Alu HI 150	15.7497	G 201
	Alu E 300	19.7497	G 207
50.0 x 5.0	Alu HI 150	15.7496	G 202
	Alu E 300	19.7496	G 208
100.0 x 5.0	Alu HI 150	15.7495	G 203
	Alu E 300	19.7495	G 209



Way-Dot™ carpet markers

allow a fast, simple method to mark exit guidance in carpeted areas.
Normal vacuum or wet carpeted cleaning will not affect the dots.

All parts are nonrusting materials. The dots may be relocated when necessary without carpet damage. Choose full glow EVERGLOW HI 300 dots or green dots with EVERGLOW HI 300 chevrons.

Version	Material	Order No.	Price group
with chevron	Alu HI 300	17.US1723	US 030
full glow	Alu HI 300	17.US7400	US 031


Dots for flat, sheared, woven carpet on request.




Floor marking system

According to ISO 16069. International escape route symbols with arrow in special film quality with anti-slip surface laminate: R10

Article	Size in cm	Material	Order No.	Price group
a) Escape route left	40.0 x 40.0	HI 150	90.4966	G 910
b) Escape route right	40.0 x 40.0	HI 150	90.4967	G 910
c) International arrow	40.0 x 40.0	HI 150	90.4968	G 910
d) Escape route and arrow	20.0 x 10.0	HI 150	90.4969	G 911





Warning profile

photoluminescent/black, angled at 90°, not self-adhesive, each side 3 cm warning marking, includes glass bead coating. EverGlow warning profile is excellently suited for marking edges, corners and obstacles.

Size W x H in cm	Material	Order No	Price group
100.0 x 10.0	Alu C 150	C15.7370	G 912
100.0 x 10.0	Alu TL 300	TL17.7370	G 913




Aluminum plate photoluminescent

Film
photoluminescent, self-adhesive

Range of use: Background plate for use behind safety equipment. E.g.: cut-off valves, safety ventilation, emergency switch, not for screen-printing.

Size W x H in cm	Material	Order No.	Price group
62.0 x 42.0	Alu HI 150	15.7521	E 323
DIN A1 84,1 x 59,4	Alu HI 150	15.4979	E 757
62.0 x 42.0	Film HI 150	38.7520	E 322
DIN A1 84,1 x 59,4	Film HI 150	38.4979	E 758



Background illumination plate for fire extinguisher photoluminescent

16. EverGlow M Alu
Aluminum, 0.2 mm or 0.56 mm thick, photoluminescent coated. With progressive light intensities from EVERGLOW ST to EVERGLOW HI 150.


Size W x H in cm	Material	Order No.	Price group
39.5 x 59.0	Alu M	16.7525	G 901
50.0 x 80.0	Alu M	16.7526	G 902
58.5 x 115.0	Alu M	16.7527	G 903



Arrow / dot markers in sheets photoluminescent, self-adhesive

- 40 pieces/sheet
- 15 pieces/sheet
- ⇒ 20 pieces/sheet
- ⇒ 20 pieces/sheet

Size Ø and W x H in cm	Material	Order No.	Price group
Ø 1.6	Film TL 150	TL38.7460	G 301
Ø 2.5	Film TL 150	TL38.7461	G 301
1.8 x 2.7	Film TL 150	TL38.7462	G 301
1.8 x 2.7	Film TL 150	TL38.7463	G 301



Guidance strip flex 1

Universally useful. Aluminum 0.2 mm thick, photoluminescent coated, with glass bead surface finish, self-adhesive, non-slip.

Size W x H in cm	Material	Order No.	Price group
100.0 x 2.5	Alu HI 300	17.7656	G 216
100.0 x 3.7	Alu HI 300	17.7730	G 232
	Alu TL 300	TL17.7730	G 233
100.0 x 4.5	Alu HI 150	15.7542	G 213
	Alu HI 300	17.7542	G 214
100.0 x 5.0	Alu HI 300	17.7696	G 234
	Alu TL 300	TL17.7696	G 235



EverGlow® C 150

C means Color and 150 corresponds to the proven HI 150 quality 150 mcd/m² after 10 minutes with a decay time of 35 hours.

Daylight fluorescent and photoluminescent. The combination of these two materials results in a perfect compound featuring two advantages: High signaling effect during the day and at night in order to make danger spots such as breaks of wall or columns clearly visible. Incident light excites fluorescent materials whereby light waves of the same length or longer waves are emitted – contrary to phosphorescent materials which phosphoresce after incident light radiation. Fluorescent materials require light to develop their signaling effect while phosphorescent materials phosphoresce when the light is off.



Warning profile

angled at 90 °, each side 3 cm warning marking, incl. glass bead coating. EverGlow warning profile is excellently suited for marking edges, corners and obstacles.

	Size W x H in cm	Material	Order No	Price group
Daylight fluorescent/black shaded	100.0 x 10.0	Alu C 150	C15.7370	G 912
Photoluminescent/black shaded	100.0 x 10.0	Alu TL 300	TL17.7370	G 913



Marking stripes

self-adhesive, C quality visible during the day and at night

	Size W x H in cm	Material	Order No	Price group
	3.8 x 100.0	Alu 0.2 mm C 150	C15.4993	E 749
	5.0 x 100.0	Alu 0.2 mm C 150	C15.4994	E 750
	7.5 x 100.0	Alu 0.2 mm C 150	C15.4995	E 751
	10.0 x 100.0	Alu 0.2 mm C 150	C15.4996	E 752



Safety Walk®

non-slip stripe self-adhesive, C quality photoluminescent and daylight fluorescent

	Size W x H in cm	Material	Order No	Price group
all over	80.0 x 3.0	Alu C 150	C15.7501	E 753
	80.0 x 5.0	Alu C 150	C15.7504	E 754
black shaded	80.0 x 3.0	Alu C 150	C15.7507	E 755
	80.0 x 5.0	Alu C 150	C15.7510	E 756



Warning rolls

self-adhesive, C quality photoluminescent and daylight fluorescent all over and black shaded

	Size W x H in cm	Material	Order No	Price group
5.0 x 500.0		Film C 150	C38.4987	E 745
		Film C 150, left shaded	C38.4989L	E 746
		Film C 150, right shaded	C38.4989R	E 746
5.0 x 2500.0		Film C 150	C38.4988	E 747
		Film C 150, left shaded	C38.4990L	E 748
		Film C 150, right shaded	C38.4990R	E 748




Triangular warning sign, blank photoluminescent and daylight fluorescent

	Side length in cm	Material	Order No	Price group
	20.0 cm	Alu C 150	15.0252	E 764
	20.0 cm	Film C 150	38.0252	E 765



We also manufacture your customized warning sign! Price on request.





Photoluminescent Coating Systems for Safety Way Guidance Systems according to ISO 16069.

Where highest toughness and abrasion resistance of floor markings is required, our coating systems provide the perfect solution.

We use highly intensive luminescent pigments which load quickly and also feature an extremely long decay time. Whether traffic by fork lift trucks or soiling by chemicals, we offer the appropriate color system for each ground and intended use.

System F is a solvent-free 2-component epoxy resin system which is recommended for surface marking and lines. In order to increase the shelf life, the luminescent pigment is supplied in a separate container. The material can be roll-coated or flat-coated. We recommend a white primer for utmost luminance. The average drying time amounts to about 8 h.

Designation	**Luminance after 10 / 60 Min.	Consump- tion g/m ²	Order No.	Price group
F 100	100 / 15	app. 1000	90.7666*	F 802
F 150	150 / 20	app. 1000	90.3033*	F 804
F 200	200 / 28	app. 1000	90.7667*	F 803
F 300	300 / 35	app. 1000	90.3034*	F 805
Reflex Weiss EPOXID		app. 250	90.7665*	F 801
Thinner Cleaner	0.5 Liter		90.3035	F 809

Bundle sizes 1kg/2.5 kg/5 kg. We recommend white primer for optimum luminance.



System G is a solvent-free 2-component epoxy resin system which is recommended for selective markings using arrows or points. It is applied by means of a spatula and stencil. 3 arrows per meter (max. distance 35 cm) are recommended as continuous guidance marking. In order to increase the shelf life, the luminescent pigment is supplied in a separate container. The average drying time amounts to about 8 h. 40-60 arrows can be applied with 1 kg.

Designation	**Luminance after 10 / 60 Min.	Consump- tion g/m ²	Order No.	Price group
G 100	100 / 15	app. 1000	90.7668*	F 802
G 150	150 / 20	app. 1000	90.3036*	F 804
G 200	200 / 28	app. 1000	90.7669*	F 803
Reflex Weiss EPOXID		app. 250	90.7665*	F 801
Thinner Cleaner	0.5 Liter		90.3035	F 809

Bundle sizes 1kg/2.5 kg/5 kg. We recommend white primer for optimum luminance.





1-component dispersion paint system (not passable) For marking hand-rails, walls or fittings



Designation	**Luminance after 10/60 min	Features	Order No.	Price group
Reflective base	100 / 15	highly opaque, low-odor, solvent-free, water based, resistant to abrasion	90.0145*	F 806
Dispersion, photoluminescent (2-3 coatings)	100 / 15	ready to paint, solvent-free, water based	90.0146*	F 807
Protective coating against abrasion	100 / 15	ready to paint, transparent, solvent-free, water based	90.0147*	F 808

Bundle sizes 1kg/2.5 kg/5 kg

Stencils with stripping face: Photoluminescent floor marking arrows can directly be applied to the floor.

Especially suitable for floors open to traffic.

Arrow stencil made of aluminum for markings

Aluminum stencils are perfectly suitable for photoluminescent floor markings. The low weight and recessed grip permit quick and clean working.

Note: Other designs and sizes available on request. The aluminum stencils are easy to clean, e.g. by using the thinner on page 20.

W x H x D in cm	Material	Order No.	Price group
35.0 x 13.0 x 4.0	Aluminum	90.3038	G 914
Dimensions: Arrow 90 x 95 mm, weight 350 g			



Arrow stencil made of cardboard for markings

Stencils made of cardboard are perfectly suitable for small quantities or short sections.

W x H x D in cm	Material	Order No.	Price group
25.0 x 15.0 x 1.7	Cardboard	90.3039	G 915
Dimensions: Arrow 90 x 95 mm, weight 35 g			



Spatula

120 mm with handle
(not passable)
For marking hand-rails, walls or fittings

Size in cm	Material	Order No.	Price group
12.0	Aluminum	90.3041	E 759





Installation Example for EverGlow®-Products

Picture: Rhein-Main Airport, Frankfurt/Main

- 1 Escape signs
(flag sign for ceiling suspension, [page 27](#))
- 2 Escape sign (wall fastening, [page 23](#))
- 3 Door handle background ([page 15](#))
- 4 Door marking tape ([page 14-15](#))
- 5 Aluminum profile ([page 10-13](#))
- 6 Escape sign for aluminum profile ([page 10](#))
- 7 Edge protection profile ([page 14-15](#))
- 8 Marking tape for handrail ([page 6](#))
- 9 Stair edge profile ([page 14-15](#))
- 10 Floor marking arrow ([page 16-17](#))
- 11 Warning marking ([page 7](#))

ISO 16069

Phosphorescent signs providing information such as actions to be followed in case for emergency, plans of the escape route, mandatory notices and instructions may be provided to offer further visual information and light sources in dark surroundings.

The size of the sign depends on the distance required of viewing the sign and can be determined according to the following table in order to achieve good visibility:

Side-length	Max. viewing distance in bright surroundings
b x a in cm	in meter
10.0 x 10.0	10
20.0 x 10.0	10
15.0 x 15.0	15
30.0 x 15.0	15
20.0 x 20.0	20
40.0 x 20.0	20
25.0 x 25.0	25

EverGlow® Hi 150

Increased Safety at a Preferential Price. Our basis quality EverGlow HI 150 (150/22/22) provides utmost planning reliability for signs at a preferential price. This quality features a luminance of 35 hours. One quality for almost all lighting conditions.



Emergency exit right

BGV A8 E10
DIN 4844-2 D-E010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0029	G 108
	Alu HI 150	15.0029	G 109
20.0 x 20.0	Film HI 150	38.0030	G 110
	Alu HI 150	15.0030	G 111



Emergency exit left

BGV A8 E09
DIN 4844-2 D-E009

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0031	G 108
	Alu HI 150	15.0031	G 109
20.0 x 20.0	Film HI 150	38.0032	G 110
	Alu HI 150	15.0032	G 111



Directional arrow left / right

DIN 4844-2 D-E001

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0055	G 108
	Alu HI 150	15.0055	G 109
20.0 x 20.0	Film HI 150	38.0056	G 110
	Alu HI 150	15.0056	G 111



Directional arrow up / down

DIN 4844-2 D-E002

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0090	G 108
	Alu HI 150	15.0090	G 109
20.0 x 20.0	Film HI 150	38.0091	G 110
	Alu HI 150	15.0091	G 111



Emergency exit right (combination sign)

Size W x H in cm	Material	Order No.	Price group
30.0 x 15.0	Film HI 150	38.3023	G 134
	Alu HI 150	15.3023	G 135
40.0 x 20.0	Film HI 150	38.3024	G 143
	Alu HI 150	15.3024	G 144



Emergency exit left (combination sign)

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0025	G 134
	Alu HI 150	15.0025	G 135
40.0 x 20.0	Film HI 150	38.0026	G 143
	Alu HI 150	15.0026	G 144



Emergency exit right (combination sign)

Size W x H in cm	Material	Order No.	Price group
30.0 x 15.0	Film HI 150	38.0069	G 134
	Alu HI 150	15.0069	G 135
40.0 x 20.0	Film HI 150	38.0079	G 143
	Alu HI 150	15.0079	G 144
60.0 x 30.0	Alu HI 150	15.3027	G 916



Emergency exit left (combination sign)

Size W x H in cm	Material	Order No.	Price group
30.0 x 15.0	Film HI 150	38.0084	G 134
	Alu HI 150	15.0084	G 135
40.0 x 20.0	Film HI 150	38.0085	G 143
	Alu HI 150	15.0085	G 144
60.0 x 30.0	Alu HI 150	15.3028	G 916



Emergency exit right (combination sign)

Size W x H in cm	Material	Order No.	Price group
30.0 x 15.0	Film HI 150	38.0086	G 134
	Alu HI 150	15.0086	G 135
40.0 x 20.0	Film HI 150	38.0087	G 143
	Alu HI 150	15.0087	G 144
60.0 x 30.0	Alu HI 150	15.3029	G 916



Emergency exit left (combination sign)

Size W x H in cm	Material	Order No.	Price group
30.0 x 15.0	Film HI 150	38.0088	G 134
	Alu HI 150	15.0088	G 135
40.0 x 20.0	Film HI 150	38.0089	G 143
	Alu HI 150	15.0089	G 144
60.0 x 30.0	Alu HI 150	15.3030	G 916

Application

The directional arrows are only to be used in connection with the Emergency Exit Escape Signs. Examples:





Photoluminescent Escape Signs



Emergency exit
(to be mounted over the exit)

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0011	G 134
	Alu HI 150	15.0011	G 135
20.0 x 40.0	Film HI 150	38.0012	G 143
	Alu HI 150	15.0012	G 144



Emergency exit
(to be mounted over the exit)

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0014	G 134
	Alu HI 150	15.0014	G 135
20.0 x 40.0	Film HI 150	38.0015	G 143
	Alu HI 150	15.0015	G 144



Escape route right

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0008	G 134
	Alu HI 150	15.0008	G 135
20.0 x 40.0	Film HI 150	38.0009	G 143
	Alu HI 150	15.0009	G 144



Escape route left

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0005	G 134
	Alu HI 150	15.0005	G 135
20.0 x 40.0	Film HI 150	38.0006	G 143
	Alu HI 150	15.0006	G 144



Escape route down and to the right

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0023	G 134
	Alu HI 150	15.0023	G 135
20.0 x 40.0	Film HI 150	38.0024	G 143
	Alu HI 150	15.0024	G 144



Escape route down and to the left

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0021	G 134
	Alu HI 150	15.0021	G 135
20.0 x 40.0	Film HI 150	38.0022	G 143
	Alu HI 150	15.0022	G 144



Escape route up and to the right

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0019	G 134
	Alu HI 150	15.0019	G 135
20.0 x 40.0	Film HI 150	38.0020	G 143
	Alu HI 150	15.0020	G 144



Escape route up and to the left

Size W x H in cm	Material	Order No.	Price group
15.0 x 30.0	Film HI 150	38.0017	G 134
	Alu HI 150	15.0017	G 135
20.0 x 40.0	Film HI 150	38.0018	G 143
	Alu HI 150	15.0018	G 144

Extremely strong adhesive pads, made from synthetic rubber, for simple mounting of EverGlow-aluminum signs

Order No. **90.9129** Price group **E 001** 1 PU = 4 adhesive pads



Assembly point

BGV A8 E11
DIN 4844-2 E011

Size W x H in cm	Material	Order No	Price group
40.0 x 40.0	Film HI 150	38.0038	G114
	Alu HI 150	15.0038	G115
60.0 x 60.0	Alu HI 150	15.0039	G119



International Escape Signs



Size W x H in cm	Material	Order No
39.0 x 11.5	Alu HI 150	15.7650
	Alu HI 300	17.7650



Size W x H in cm	Material	Order No
39.0 x 11.5	Alu HI 150	15.7652
	Alu HI 300	17.7652



Size W x H in cm	Material	Order No
39.0 x 11.5	Alu HI 150	15.7651
	Alu HI 300	17.7651



Size W x H in cm	Material	Order No	Price group
39.0 x 11.5	Alu HI 150	15.7653	G 508
	Alu HI 300	17.7653	G 509


ISO16069


For multi-storey stairwells, a phosphorescent sign shall be posted at each floor landing, indicating the floor number, whether re-entry is possible and if it is not, the closest floor above and below on which re-entry is possible.

Size W x H in cm	Material	Order No	Price group
15.0 x 15.0	Film HI 150	38.3022 *	E 760
15.0 x 15.0	Alu HI 150	15.3022 *	E 761

*Please indicate the desired figure and/or letter after the article number. e.g. **39.3022-1** or **38.3022-A**

Design: printed or covered





Automated external defibrillator (AED)

DIN 4844-2 D-E017

Size W x H in cm	Material	Order No	Price group
15.0 x 15.0	Film HI 150	38.0167	E 760
20.0 x 20.0	Film HI 150	38.0155	E 763



First aid

DIN 4844-2 D-E003

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0057	G 108
	Alu HI 150	15.0057	G 109
20.0 x 20.0	Film HI 150	38.0058	G 110
	Alu HI 150	15.0058	G 111
30.0 x 30.0	Film HI 150	38.0078	G 112
	Alu HI 150	15.0078	G 113



Medical stretcher

DIN 4844-2 D-E004

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0059	G 108
	Alu HI 150	15.0059	G 109
20.0 x 20.0	Film HI 150	38.0060	G 110
	Alu HI 150	15.0060	G 111



Emergency telephone

DIN 4844-2 D-E007

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0067	G 108
	Alu HI 150	15.0067	G 109
20.0 x 20.0	Film HI 150	38.0068	G 110
	Alu HI 150	15.0068	G 111



Doctor

DIN 4844-2 D-E008

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0065	G 108
	Alu HI 150	15.0065	G 109
20.0 x 20.0	Film HI 150	38.0066	G 110
	Alu HI 150	15.0066	G 111



Emergency showers

DIN 4844-2 D-E005

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0061	G 108
	Alu HI 150	15.0061	G 109
20.0 x 20.0	Film HI 150	38.0062	G 110
	Alu HI 150	15.0062	G 111



Eye rinse equipment

DIN 4844-2 D-E006

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0063	G 108
	Alu HI 150	15.0063	G 109
20.0 x 20.0	Film HI 150	38.0064	G 110
	Alu HI 150	15.0064	G 111



Directional arrow left / right

DIN 4844-2 D-E001

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0055	G 108
	Alu HI 150	15.0055	G 109
20.0 x 20.0	Film HI 150	38.0056	G 110
	Alu HI 150	15.0056	G 111



Directional arrow up / down

DIN 4844-2 D-E002

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.0090	G 108
	Alu HI 150	15.0090	G 109
20.0 x 20.0	Film HI 150	38.0091	G 110
	Alu HI 150	15.0091	G 111

Note: The directional arrows are only to be used in connection with the Emergency Exit Escape Signs. Examples:



Angled and Flag Signs – One Price! Two designs – one price scale!

Price group

15.0 x 15.0	G 164
20.0 x 20.0	G 165
30.0 x 30.0	G 166



First aid



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9202
	Alu HI, Flag	15.9212
20.0 x 20.0	Alu HI, Angled	15.9203
	Alu HI, Flag	15.9213
30.0 X 30.0	Alu HI, Angled	15.9500
	Alu HI, Flag	15.9501

Medical stretcher



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9505
	Alu HI, Flag	15.9507
20.0 x 20.0	Alu HI, Angled	15.9506
	Alu HI, Flag	15.9508

Emergency telephone



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9521
	Alu HI, Flag	15.9523
20.0 x 20.0	Alu HI, Angled	15.9522
	Alu HI, Flag	15.9524

Doctor



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9517
	Alu HI, Flag	15.9519
20.0 x 20.0	Alu HI, Angled	15.9518
	Alu HI, Flag	15.9520

Automated external defibrillator (AED) · DIN 4844-2 D-E017



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.3052
	Alu HI, Flag	15.3053
20.0 x 20.0	Alu HI, Angled	15.3054
	Alu HI, Flag	15.3055

Eye rinse equipment



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9513
	Alu HI, Flag	15.9515
20.0 x 20.0	Alu HI, Angled	15.9514
	Alu HI, Flag	15.9516

Fire alarm



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9537
	Alu HI, Flag	15.9539
20.0 x 20.0	Alu HI, Angled	15.9538
	Alu HI, Flag	15.9540

Fire extinguisher



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.2740
	Alu HI, Flag	15.2745
20.0 x 20.0	Alu HI, Angled	15.2741
	Alu HI, Flag	15.2746
30.0 X 30.0	Alu HI, Angled	15.2742
	Alu HI, Flag	15.2747

Fire hose



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9525
	Alu HI, Flag	15.9527
20.0 x 20.0	Alu HI, Angled	15.9526
	Alu HI, Flag	15.9528

Manual fire alarm



Size W x H in cm	Material	Order No.
15.0 x 15.0	Alu HI, Angled	15.9541
	Alu HI, Flag	15.9543
20.0 x 20.0	Alu HI, Angled	15.9542
	Alu HI, Flag	15.9544





Photoluminescent Angled and Flag Signs

The blank angled and flag signs can be covered with self-adhesive EverGlow film signs of your choice. Please also indicate the order number of the respective film sign in your order.

The prices of the blank angled/flag signs are exclusive of film signs.

On request, we deliver completely covered angled/flag signs according to your specifications. Complete solutions are available on request.



	Price group
15.0 x 15.0	E 167
20.0 x 20.0	E 168
30.0 x 15.0	E 162
40.0 x 20.0	E 163

Individual Angled and Flag Signs

Design your individual angled or flag sign.

Rectangular angled sign
for wall mounting



Total size W x H x D in cm:
For 30.0 x 15.0 = 46.0 x 15.0 x 20.5
For 40.0 x 20.0 = 59.5 x 20.0 x 28.0

Size of Safety Sign	Material	Order No.
30.0 x 15.0	Alu	51.9550
40.0 x 20.0	Alu	51.9551

Square angled sign
for wall mounting



Total size W x H x D in cm:
For 15.0 x 15.0 = 25.7 x 15.0 x 10.5
For 20.0 x 20.0 = 35.3 x 20.0 x 14.0

Size of Safety Sign	Material	Order No.
15.0 x 15.0	Alu	51.9552
20.0 x 20.0	Alu	51.9553

Rectangular flag sign
for wall mounting



Total size W x H x D in cm:
For 30.0 x 15.0 = 2.2 x 15.0 x 30.5
For 40.0 x 20.0 = 2.5 x 20.0 x 40.5

Size of Safety Sign	Material	Order No.
30.0 x 15.0	Alu	51.9560
40.0 x 20.0	Alu	51.9561


Square flag sign
for wall mounting



Total size W x H x D in cm:
For 15.0 x 15.0 = 2.2 x 15.0 x 15.5
For 20.0 x 20.0 = 2.5 x 20.0 x 20.5

Size of Safety Sign	Material	Order No.
15.0 x 15.0	Alu	51.9557
20.0 x 20.0	Alu	51.9558

Rectangular flag sign
for ceiling mounting



Total size W x H x D in cm:
For 30.0 x 15.0 = 30.0 x 15.5 x 2.2
For 40.0 x 20.0 = 40.0 x 20.5 x 2.5

Size of Safety Sign	Material	Order No.
30.0 x 15.0	Alu	51.9555
40.0 x 20.0	Alu	51.9556

Square flag sign
for ceiling mounting



Total size W x H x D in cm:
For 15.0 x 15.0 = 15.0 x 15.5 x 2.2
For 20.0 x 20.0 = 20.0 x 20.5 x 2.5

Size of Safety Sign	Material	Order No.
15.0 x 15.0	Alu	51.9563
20.0 x 20.0	Alu	51.9564



Fire extinguisher

ISO 6309 No. 11

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2736	G 108
	Alu HI 150	15.2736	G 109
20.0 x 20.0	Film HI 150	38.2737	G 110
	Alu HI 150	15.2737	G 111



Fire alarm

DIN 4844-2 D-F006

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2715	G 108
	Alu HI 150	15.2715	G 109
20.0 x 20.0	Film HI 150	38.2716	G 110
	Alu HI 150	15.2716	G 111

Extremely strong adhesive pads
made from synthetic rubber, for simple
mounting of EverGlow aluminum signs.
1 set = 4 adhesive pads.

Order
No. **90.9129** Price group
E 001



Fire hose

DIN 4844-2 D-F003

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2700	G 108
	Alu HI 150	15.2700	G 109
20.0 x 20.0	Film HI 150	38.2701	G 110
	Alu HI 150	15.2701	G 111



Ladder

DIN 4844-2 D-F004

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2712	G 108
	Alu HI 150	15.2712	G 109
20.0 x 20.0	Film HI 150	38.2713	G 110
	Alu HI 150	15.2713	G 111



Manual fire alarm

DIN 4844-2 D-F008

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2731	G 108
	Alu HI 150	15.2731	G 109
20.0 x 20.0	Film HI 150	38.2732	G 110
	Alu HI 150	15.2732	G 111



Fire fighting equipment

DIN 4844-2 D-F007

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2706	G 108
	Alu HI 150	15.2706	G 109
20.0 x 20.0	Film HI 150	37.2707	G 110
	Alu HI 150	15.2707	G 111





Photoluminescent Fire Safety Signs

The directional arrows are only to be used in connection with another fire safety sign. Examples:



Directional arrow left / right

DIN 4844-2 D-E001

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2709	G 108
	Alu HI 150	15.2709	G 109
20.0 x 20.0	Film HI 150	38.2710	G 110
	Alu HI 150	15.2710	G 111




Directional arrow up / down

DIN 4844-2 D-E002

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.2728	G 108
	Alu HI 150	15.2728	G 109
20.0 x 20.0	Film HI 150	38.2729	G 110
	Alu HI 150	15.2729	G 111

Various markings possible thanks to individual text design.

Signs available in photoluminescent quality with red or black frame. Depending on the size with up to 20 and/or 30 characters at your option. Please indicate the text in your purchase order.



Information sign for fire safety

Size W x H in cm	Material	Order No.	Price group
29.7 x 10.5	Film HI 150	38.2659	E 129
	Alu HI 150	15.2659	E 130
42.0 x 14.8	Alu HI 150	15.2660	E 145



Do not use the elevator in a fire

Size W x H in cm	Material	Order No.	Price group
13.1 x 18.5	Film HI 150	38.7686	E 122
	Alu HI 150	15.7686	E 123
26.2 x 37.1	Film HI 150	38.7687	E 128



Fire hose reel

ISO 7010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.7692	G 108
	Alu HI 150	15.7692	G 109
20.0 x 20.0	Film HI 150	38.7693	G 110
	Alu HI 150	15.7693	G 111



Collection of fire fighting equipment

ISO 7010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.7690	G 108
	Alu HI 150	15.7690	G 109
20.0 x 20.0	Film HI 150	37.7691	G 110
	Alu HI 150	15.7691	G 111



Fire extinguisher

ISO 7010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.7694	G 108
	Alu HI 150	15.7694	G 109
20.0 x 20.0	Film HI 150	38.7695	G 110
	Alu HI 150	15.7695	G 111



Fire ladder

ISO 7010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.US2712	G 108
	Alu HI 150	15.US2712	G 109
20.0 x 20.0	Film HI 150	38.US2713	G 110
	Alu HI 150	15.US2713	G 111



Fire emergency telephone

ISO 7010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.US2715	G 108
	Alu HI 150	15.US2715	G 109
20.0 x 20.0	Film HI 150	38.US2716	G 110
	Alu HI 150	15.US2716	G 111



Fire alarm call point

ISO 7010

Size W x H in cm	Material	Order No.	Price group
15.0 x 15.0	Film HI 150	38.US2731	G 108
	Alu HI 150	15.US2731	G 109
20.0 x 20.0	Film HI 150	38.US2732	G 110
	Alu HI 150	15.US2732	G 111



Exit, left

Size	Material	Order No.	Price group
W x H in inch			
21.0 x 10.0	Alu HI 150	15.US0820	US 004



Exit, right

Size	Material	Order No.	Price group
W x H in inch			
12.0 x 8.0	Alu HI 150	15.US0510	US 003



Exit

Size	Material	Order No.	Price group
W x H in inch			
14.0 x 10.0	Alu HI 150	15.US0800	US 005



Size	Material	Order No.	Price group
W x H in inch			
27.0 x 10.0	Alu HI 150	15.US0830	US 006



Exit, down

Size	Material	Order No.	Price group
W x H in inch			
14.0 x 14.0	Alu HI 150	15.US0840	US 007



Exit

Exit, down

Size	Material	Order No.	Price group
W x H in inch			
13.63 x 8.5	Alu HI 450	90.8924R	US 001



Exit

Size	Material	Order No.	Price group
W x H in inch			
13.63 x 8.5	Alu HI 450	90.8924G	US 001



Exit

Size	Material	Order No.	Price group
W x H in inch			
13.63 x 8.5	Alu HI 450	90.8924B	US 001



Frame for exit signs

Size	Material	Price group
W x H in inch		
21.0 x 10.0	Aluminum	on request



Not an exit

Size	Material	Order No.	Price group
W x H in inch			
10.0 x 7.0	Alu HI 150	15.US0860	US 009



Not an exit

Size	Material	Order No.	Price group
W x H in inch			
8.0 x 8.0	Alu HI 150	15.US2400	US 011





Fire extinguisher

Size	Material	Order No.
W x H in inch		
4.0 x 18.0	Alu HI 150	15.US0900

Price group

US 020



Fire extinguisher,
V-bracket, wall mount

Size	Material	Order No.
W x H in inch		
8.0 x 18.0	Alu HI 150	15.US1300

Price group

US 022



Fire alarm

Size	Material	Order No.
W x H in inch		
4.0 x 18.0	Alu HI 150	15.US0910

Price group

US 020



Fire alarm,
V-bracket, wall mount

Size	Material	Order No.
W x H in inch		
8.0 x 18.0	Alu HI 150	15.US1310

Price group

US 022



Fire hose

Size	Material	Order No.
W x H in inch		
4.0 x 18.0	Alu HI 150	15.US0920

Price group

US 020



Fire hose,
V-bracket, wall mount

Size	Material	Order No.
W x H in inch		
8.0 x 18.0	Alu HI 150	15.US1320

Price group

US 022



Fire extinguisher

Size	Material	Order No.
W x H in inch		
9.0 x 12.0	Alu HI 150	15.US1100

Price group

US 021



Fire extinguisher,
L-bracket, wall mount

Size	Material	Order No.
W x H in inch		
9.0 x 12.0	Alu HI 150	15.US1000

Price group

US 023



Fire alarm

Size	Material	Order No.
W x H in inch		
9.0 x 12.0	Alu HI 150	15.US1110

Price group

US 021



Fire alarm,
L-bracket, wall mount

Size	Material	Order No.
W x H in inch		
9.0 x 12.0	Alu HI 150	15.US1010

Price group

US 023



Fire hose

Size	Material	Order No.
W x H in inch		
9.0 x 12.0	Alu HI 150	15.US1120

Price group

US 021



Fire hose,
L-bracket, wall mount

Size	Material	Order No.
W x H in inch		
9.0 x 12.0	Alu HI 150	15.US1020

Price group

US 023

FIRE HOSE

Size	Material	Order No.	Price group
W x H in inch			
12.0 x 4.0	Alu HI 150	15.US1200	US 024



Breathing mask

Size	Material	Order No.	Price group
W x H in inch			
8.0 x 8.0	Alu HI 150	15.US0400	US 026



Gas valve

Size	Material	Order No.	Price group
W x H in inch			
8.0 x 8.0	Alu HI 150	15.US2800	US 028



Fire extinguisher,
L-flag, wall mount

Size	Material	Order No.
W x H in inch		
4.0 x 12.0	Alu HI 150	15.US0710

Price group

US 025



Size	Material	Order No.	Price group
W x H in inch			
14.0 x 10.0	Alu HI 150	15.US0100	US 027



Electric panel

Size	Material	Order No.	Price group
W x H in inch			
8.0 x 8.0	Alu HI 150	15.US2900	US 029





Triple Loading: **EVERGLOW[®] TL** More Visibility = More Safety

We have been using the EverGlow TL quality successfully in the project business for years. A new generation of pigments and a novel pigment layer coating combine the high luminance of our HI 300 products with an up to threefold faster loading time.

Thus, TL 300 products are ideal for areas with poor light conditions or short activation periods (e.g. tunnels, staircases, underground car parks and areas with time switch).

At the request of our customers, we also offer the up-to-date escape route markings and fire equipment signs in this premium quality now.



Emergency exit left
(combination sign)
TL300

Size	Material	Order	Price group
W x H in cm		No.	
40.0 x 20.0	Alu 0.56 mm	TL17.3024	G 917



Emergency exit right
(combination sign)
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
40.0 x 20.0	Alu 0.56 mm	TL17.3026	G 917



Escape route left
(combination sign)
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
40.0 x 20.0	Alu 0.56 mm	TL17.0089	G 917



Escape route right
(combination sign)
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
40.0 x 20.0	Alu 0.56 mm	TL17.0087	G 917



Escape route left
(combination sign)
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
40.0 x 20.0	Alu 0.56 mm	TL17.0085	G 917



Escape route right
(combination sign)
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
40.0 x 20.0	Alu 0.56 mm	TL17.0079	G 917



Fire extinguisher
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
20.0 x 20.0	Alu 0.56 mm	TL17.2737	G 918



Fire Hose
TL 300

Size	Material	Order	Price group
W x H in cm		No.	
20.0 x 20.0	Alu 0.56 mm	TL17.2701	G 918

Company	
Street	
Zip code / City	
State	
Name	Division
Telephone	Fax
E-Mail	

Please send us the following items from the EVERGLOW® catalog.

Order-No.	Article	Quantity	Price p. P.	Total price
			Net	
			Sales tax	
			Total	

Date _____ Signature _____
P.O. No. _____

Phone _____



EVERGLOW – TEN YEARS

Founded in 1997, EverGlow® has been setting new standards in photoluminescent safety markings in the course of the last years. Research and development are the cornerstones of the innovative product range with its outstanding

quality. An international network of distributors and service partners was established in a short time in order to efficiently realize the overall planning of customer projects. Thanks to increases in quality without price adjustments,

an economic edge over its competitors has been ensured continuously. Throughout the last 10 years, the brand EverGlow has been established in 30 countries by international registrations. In 2004, EverGlow® NA was founded in the USA.

EverGlow NA, Inc.

1122 Industrial Dr.
PO Box 830
Matthews, NC 28106-0830

www.everglow.us

Toll Free: 866-744-4706
Tel: 704-841-2580
Fax: 704-841-2582

info@everglow.us



EVERGLOW®

Photoluminescent Safety Products